

POOL LAB
Pool Water Management

2024 Catalogue

Effective 1st Jan 2024





MANUFACTURERS OF

POOL LAB[®]
Pool Water Management

Mission Statement

To provide the world's best water management systems through research, development and innovation.

To provide a work environment and culture that our staff can be proud of.



To boldly go where no chlorinator has gone before.

Poolpower Australia Pty Ltd
Factory 2, 39-45 Susan Street
Eltham Victoria Australia 3095
Tel +613 9439 1320
sales@poolpower.com.au
www.poolpower.com.au



Available Now

Mineral Lab

Complete Mineral System for Pools & Spas



See page 9 for details



See www.poolpower.com.au for more details on new products

Available Now

PL
HYBRID

COMMERCIAL
WATER
MANAGEMENT



The world's best pH and free chlorine management system. All the benefits of salt chlorination with liquid chlorine back-up to meet demand in extreme commercial environments.

See page 13 for details

See www.poolpower.com.au for more details on new products

Industry Leading Product Warranty

Best in the industry

The Pool Lab NEW for OLD warranty procedure is quick and easy. No more waiting for a specialist trained contractor to conduct the repair. If the item is faulty, a quick and simple NEW for OLD exchange is carried out. Refer to warranty terms and conditions for NEW for OLD replacement.

Simple Procedure

If an issues exists, fill out a warranty claim.
If you have stock to exchange, use that stock and Poolpower will replace it.
If you don't have stock, Poolpower will send the replacement to you.
Poolpower may direct a service agent if available in your area to do this on your behalf.

What happens to warranty item?

The exchanged item must be retained for a period nominated by Poolpower before disposal.
Poolpower may request to have it sent to Melbourne for inspection.
Poolpower may request a service agent to pick up for inspection.

Customer Satisfaction

Confidence in the reliability of Pool Lab products and a desire to minimise downtime and maximise customer satisfaction has provided for this NEW for OLD program.

Efficient, Quick and Easy

No extra technical knowledge, training or time consuming repairs.

Online Product Registration

Register the installation of a Pool Lab product through our website, upload the proof of purchase and then never worry about warranty again. All you need is the product serial number to lodge a claim.

Comprehensive Trouble Shooting Guides

The Poolpower website has simple trouble shooting guides and videos for the homeowner, builder or service technician to refer to. All you need is a phone or computer.

| | PL ECO | PL CLASSIC | PL PLUS | PL MAX | Mineral Lab | PL ASP | PL EXP | PL HYBRID | PERISTALTIC PUMPS (Acid/Chlorine) |
|---|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|-----------------------|---|
| DOMESTIC APPLICATIONS | | | | | | | | | |
| Product Warranty <i>Control Box & Cell</i> | 2 Year NEW for OLD | 5 Year NEW for OLD | 5 Year NEW for OLD | 5 Year NEW for OLD | 6 Year NEW for OLD | 5 Year NEW for OLD | 5 Year NEW for OLD | N/A | 2 Year NEW for OLD |
| Warranty Terms | 1 Year Full + 1 Year Prorata | 3 Year Full + 2 Year Prorata | 3 Year Full + 2 Year Prorata | 3 Year Full + 2 Year Prorata | 3 Year Full + 3 Year Prorata | 3 Year Full + 2 Year Prorata | 3 Year Full + 2 Year Prorata | N/A | Exclusions: Squeeze Tube, Rollers, Drum Cap, Check valve, Tubing |
| Infield Labour <i>Within 30km of Service Agent</i> | N/A | 1 Year | 1 Year | 1 Year | 1 Year | 1 Year | 1 Year | N/A | 1 Year |
| COMMERCIAL APPLICATIONS | | | | | | | | | |
| Product Warranty <i>Control Box & Cell</i> | N/A | 1 Year NEW for OLD | 1 Year NEW for OLD | 1 Year NEW for OLD | 1 Year NEW for OLD | 1 Year NEW for OLD | 1 Year NEW for OLD | 1 Year NEW for OLD | 1 Year NEW for OLD (Exclusions as per above) |
| Infield Labour <i>Within 30km of Service Agent</i> | N/A | 1 Year | 1 Year | 1 Year | 1 Year | 1 Year | 1 Year | 1 Year | 1 Year (Exclusions as per above including labour) |

PLEASE NOTE:

- Warranty excludes consumables (reagents) and all liquid acid/chlorine delivery maintenance items.
- Warranty does not restart with an exchange, the warranty is fixed to the original installation date.
- You may be charged to clean a cell and validate the cell condition.
- You may be charged to evaluate a power supply or ASP unit to validate its condition.

Salt Chlorination

PL CLASSIC SERIES

Features & Benefits

- **Control Panel** Very easy to set times and operate with no complicated menus to navigate through.
- **Efficient Switch Mode Power Supply** Compact and light weight, the control box is high tech and efficient compared with old style heavy transformer power supplies.
- **Heavy Duty Control Unit** Weather proof and suitable for outdoor installations with display cover to protect against the effects of the sun.
- **Patented Automatic Self-Cleaning Cells** Clever software in the microprocessor automatically reverses the polarity of the electrolytic plates to maximise the self- cleaning process.
- **Automatic Low Salt Warning** If salt levels fall below the optimum level, the diagnostic display scrolls a message requesting a salt top up.
- **Automatic Memory Save** If there's a power failure all information is stored for at least seven days. There are no batteries that can go flat or leak.
- **Automatic Pump Protection Monitor** If the pump is starved of water and running dry, the Chlorinator switches the pump off to prevent damage occurring. Run dry timing can be adjusted for different hydraulic conditions and pump types.
- **Smart diagnostic display** No need to take your cell to a pool shop for testing. With a touch of a couple of buttons, the chlorinator will provide you with all the volts and amp data you require, on both polarities to establish if the cell is in good condition. Enter history to see total cell running hours with chlorine output per day and week displayed.



| Item | Length mm | Width mm | Height mm |
|-----------------|-----------|----------|-----------|
| Control Box | 385 | 140* | 210 |
| Cell (Complete) | 190 | 70 | 510 |

* Includes mounting bracket
240v power lead length - 1.5m
Cell lead length - 3m

AVAILABLE IN 3 SIZES...

All models operate at 3000ppm salinity, and are covered by a 5 year warranty*

PL25



Output: 25 grams
chlorine gas per hour

PL35



Output: 35 grams
chlorine gas per hour

PL45



Output: 45 grams
chlorine gas per hour

| Model N° | Description | Chlorine Gas | Max. Pool Size | | Ctn Weight | List Price |
|----------|--|---------------|----------------|---------|------------|------------|
| | | Output (g/hr) | Indoor | Outdoor | | |
| PL25 | POOL LAB CLASSIC CHLORINATOR W/ 25 GRAM CELL | 25 | 150,000 | 90,000 | 7.6kg | \$2,392.00 |
| PL35 | POOL LAB CLASSIC CHLORINATOR W/ 35 GRAM CELL | 35 | 210,000 | 126,000 | 8.0kg | \$2,827.00 |
| PL45 | POOL LAB CLASSIC CHLORINATOR W/ 45 GRAM CELL | 45 | 265,000 | 162,000 | 8.2kg | \$3,145.00 |

Water Management System


PL PLUS SERIES

Features & Benefits

The **PL Plus Series** has all the exceptional features of the PL Classic Series, and also offers the ability to connect:

- **Optional Spa Flow Switch** Installed on the spa suction line, the spa flow switch lets the chlorinator know when spa only mode is activated, and pauses all chlorine production to prevent over chlorination in the smaller body of water.
- **Auto Sampling Photometer** (See over page - ASP) When combined with the ASP, the PL Plus model becomes the ultimate water management system giving you complete control of chlorine and pH levels. Once the ASP is connected the home screen display on the PL+ control box will show results of the most recent chlorine and pH tests.
- **Acid Pump Connection** The cell housing includes injection point for when the ASP acid pump is connected.

Example of plumbing installation when PL+ and ASP are connected



| Item | Length mm | Width mm | Height mm |
|-----------------|-----------|----------|-----------|
| Control Box | 385 | 140* | 210 |
| Cell (Complete) | 190 | 70 | 510 |

* Includes mounting bracket
240v power lead length - 1.5m
Cell lead length - 3m

AVAILABLE IN 3 SIZES...

All models operate at 3000ppm salinity, and are covered by a 5 year warranty*

PL25+



Output: 25 grams chlorine gas per hour

PL35+



Output: 35 grams chlorine gas per hour

PL45+



Output: 45 grams chlorine gas per hour

| Model N° | Description | Chlorine Gas | Max. Pool Size | | Ctn Weight | List Price |
|----------|---|---------------|----------------|---------|------------|------------|
| | | Output (g/hr) | Indoor | Outdoor | | |
| PL25+ | POOL LAB PLUS CHLORINATOR W/ 25 GRAM CELL | 25 | 150,000 | 90,000 | 7.6kg | \$2,555.00 |
| PL35+ | POOL LAB PLUS CHLORINATOR W/ 35 GRAM CELL | 35 | 210,000 | 126,000 | 8.0kg | \$3,000.00 |
| PL45+ | POOL LAB PLUS CHLORINATOR W/ 45 GRAM CELL | 45 | 265,000 | 162,000 | 8.2kg | \$3,301.00 |

Chlorine and pH Control

ASP AUTO SAMPLING PHOTOMETER

Features & Benefits

- **The Patented ASP** Auto Sampling Photometer is the most accurate and reliable chlorine and pH water management system in the world.
- **Photometric Water Analysis** is the gold standard. Poolpower has delivered this technology, in-situ, at the pool and it is fully automatic.
- **The Easiest** chlorine & pH control system to install, program and maintain, no calibration or cleaning required.
- **Precise Chlorine Measurement** Chlorine results are displayed in ppm and are not effected by UV stabiliser (Cyanuric Acid) levels or hydrogen gas.
- **Unique, cell housing mounted** peristaltic acid pump - no need to plumb extra injection hardware, dedicated acid injection point is moulded into the cell housing.
- **Maintenance is easy** Simply replace the three reagent bags twice per year, and replace acid feed tubes as required.
- **Extend Cell Life** Working to a set chlorine target means chlorine is only produced as required, maximising cell life.
- **Optional Spa Flow Switch** Installed on the spa suction line, the spa flow switch lets the ASP know when spa only mode is activated, and switches to the programmed spa water volume ensuring set targets are maintained in a smaller body of water without the need for end user adjustment.



| Item | Length mm | Width mm | Height mm |
|------|-----------|----------|-----------|
| ASP | 230* | 200 | 420 |

* Does not include barrel unions
Data cable length - 3m
Acid pump cable length - 3m

5 Year Warranty on ASP | 2 Year Warranty on Acid Pump*

Remove Cover To Replace
Reagent Bags



Combine With Any
POOL LAB
or
Mineral Lab
**PLUS Model
Chlorinator**

Acid Injection Point Moulded
Into Cell Housing



| Model N° | Description | Max. Pool Size | | Ctn Weight | List Price |
|----------|-----------------------------------|----------------|---------|------------|------------|
| | | Indoor | Outdoor | | |
| ASP | POOL LAB AUTO SAMPLING PHOTOMETER | ANY | ANY | 4.5kg | \$1,904.00 |
| 55703 | POOL LAB 3 BAG REAGENT SET | | | | \$89.31 |
| 55619 | PERISTALTIC PUMP SERVICE KIT | | | | \$122.63 |

Mineral Pool System

Mineral Lab




The Mineral Lab system is available in Classic or Plus models, allowing straight chlorination or full free chlorine and pH control, with the added wellbeing benefits of a mineral pool.

Features & Benefits

Sodium Hydroxide is a byproduct produced at the cell in a salt chlorinated pool. This byproduct is extremely alkaline, requiring constant balancing with pool acid to keep the correct pH. With the addition of Magnesium minerals, Magnesium Hydroxide is also produced, which is much less alkaline keeping pH more stable and requiring less adjustment.

Magnesium Hydroxide is also a natural water clarifier, giving the pool water a sparkling finish.

Using a Mineral Lab Plus Model allows the connection of an ASP (see page 9) and Spa Flow Switch, creating a complete water management system.



6 YEAR WARRANTY
3 Year + 3 Year Pro-rata

| Item | Length mm | Width mm | Height mm |
|-----------------|-----------|----------|-----------|
| Control Box | 385 | 140* | 210 |
| Cell (Complete) | 190 | 70 | 510 |

* Includes mounting bracket
240v power lead length - 1.5m
Cell lead length - 3m

AVAILABLE IN 3 SIZES...

All models operate at 3000ppm salinity, and are covered by a 6 year warranty*

ML25



Output: 25 grams
chlorine gas per hour

ML35




Output: 35 grams
chlorine gas per hour

ML45



Output: 45 grams
chlorine gas per hour

| Model N° | Description | Chlorine Gas Output (g/hr) | Max. Pool Size | | Carton Weight | List Price |
|----------|---|----------------------------|----------------|---------|---------------|------------|
| | | | Indoor | Outdoor | | |
| ML25 | MINERAL LAB CLASSIC CHLORINATOR W/ 25 GRAM CELL | 25 | 150,000 | 90,000 | 7.6kg | \$2,513.00 |
| ML35 | MINERAL LAB CLASSIC CHLORINATOR W/ 35 GRAM CELL | 35 | 210,000 | 126,000 | 8.0kg | \$2,968.00 |
| ML45 | MINERAL LAB CLASSIC CHLORINATOR W/ 45 GRAM CELL | 45 | 265,000 | 162,000 | 8.2kg | \$3,304.00 |
| ML25+ | MINERAL LAB PLUS CHLORINATOR W/ 25 GRAM CELL | 25 | 150,000 | 90,000 | 7.6kg | \$2,683.00 |
| ML35+ | MINERAL LAB PLUS CHLORINATOR W/ 35 GRAM CELL | 35 | 210,000 | 126,000 | 8.0kg | \$3,150.00 |
| ML45+ | MINERAL LAB PLUS CHLORINATOR W/ 45 GRAM CELL | 45 | 265,000 | 162,000 | 8.2kg | \$3,467.00 |



Not all minerals sold for pools are the same.

Some low cost minerals are mined with little to no purification, leaving unwanted metals and ammonia in the product.

Ammonia leads to the formation of monochloramine which is undesirable in swimming pools and interrupts the safe testing and sanitation that free chlorine should provide.

Excessive iron in low quality minerals leads to staining and yellowing of the water.

Mineral Lab is a premium product that contains the highest grade of minerals for your pool or spa.

If you want all the benefits that minerals can provide without all the issues associated with low quality products, Mineral Lab is your No.1 choice.

MLSPA Combined Mineral Complex for Spas

1.7kg carton of combined Magnesium Chloride and Sodium Chloride designed for salt chlorinated spas.


1 carton will bring 500 litres of water to 3000ppm salinity and the ideal magnesium level.



MLPOOL-S Magnesium Chloride Minerals for Pools

12.5kg bulk pack for converting pools to minerals.

1 carton will raise 15000 litres of water to the ideal mineral level.



MLPOOL-M Magnesium Chloride Minerals for Pools

6kg carton for maintenance of mineral pools.

As salt and magnesium will dilute at the same rate, simply add 1 carton for each 20kg of salt required to achieve the ideal salinity level.

No Magnesium testing required.



| Item Code | Description | List Price |
|-----------|---|------------|
| MLSPA | MINERAL LAB COMPLEX FOR SPAS 1.7KG CARTON | \$32.00 |
| MLPOOL-S | MINERAL LAB MINERALS FOR POOLS 12.5KG CARTON (START UP) | \$96.00 |
| MLPOOL-M | MINERAL LAB MINERALS FOR POOLS 6KG CARTON (MAINTENANCE) | \$56.00 |

ASP - Consumables & Maintenance



| Item Code | Description | List Price |
|-----------|------------------------------------|------------|
| 55703 | POOL LAB 3 BAG REAGENT SET | \$89.31 |
| 55619 | PERISTALTIC PUMP SERVICE KIT | \$122.63 |
| 55615 | ASP ACID PERI-PUMP WITH 3.0M CABLE | \$212.24 |

Optional Extras

Spa Flow Switch

- Connect with any PL/ML Plus and chlorine production will automatically pause when system is switched to spa only mode.
- Connect the ASP with any PL/ML Plus and gain the ability to program the spa volume. When the system is switched to spa only mode, dosing rates are automatically adjusted to the smaller volume of water.




Spa Switch Tapping Saddle

- Available in 40mm & 50mm, for easy retrofit of Spa Flow Switch



Pool Lab Salt Meter

- The PL103 Salt meter is an automatic temperature compensated salt meter with a measurement range of 0-10,000ppm.
- The body is completely sealed with non-replaceable lithium batteries making the unit water proof for the life of the product, while the lithium battery ensures power for years of testing.
- While the PL103 is factory calibrated, if the need arises it can be recalibrated using a salt solution and a few simple button presses.



| Item Code | Description | List Price |
|-----------|---|------------|
| PL103 | POOL LAB SALT METER | \$422.00 |
| PL103-CS | SALT METER CALIBRATION SOLUTION 3000ppm | \$36.00 |
| 32533-MP4 | SPA FLOW SWITCH & T PIECE (COMPLETE) | \$197.00 |
| TAP50 | TAPPING SADDLE 50MM | \$95.00 |
| TAP40 | TAPPING SADDLE 40MM | \$95.00 |
| TAPHS | TAPPING SADDLE PIPE HOLE SAW 29MM | \$133.00 |

Heat Pump Override + HPO Optional extras

How it Works?

If the Pool has not reached the Heat Pump TARGET temperature by the end of the filtration cycle, the system will override the time clock and run the pump until such time as it does.
During this over ride period, the chlorinator output will be zero to prevent over chlorination.



HPOLV

What do I order to ensure my system has the HPO feature?

Order a POOL LAB Chlorinator with a HPO Suffix – Power pack with HPO socket

Order HPOLV interface lead for Heat Pumps with **low voltage** dry relay contact pump override output, OR

Order HPO240V interface lead for Heat Pumps with **high voltage** pump override output.

HPO240V

HPO Leads + Models

HPO Leads

| ITEM CODE | DESCRIPTION | LIST PRICE |
|-----------|---|------------|
| HPO240V | PL CHLORINATOR HEAT PUMP OVERRIDE 5.0m includes TRANSFORMER | \$250.00 |
| HPOLV | PL CHLORINATOR HEAT PUMP OVERRIDE LEAD 5.0M | \$65.00 |

HPO Classic Chlorinators

| Model N° | Description | Chlorine Gas Output (g/hr) | Max. Pool Size | | Ctn Weight | List Price |
|----------|--|----------------------------|----------------|---------|------------|------------|
| | | | Indoor | Outdoor | | |
| PL25/HPO | POOL LAB PL25/HPO CLASSIC SALT CHLORINATOR | 25 | 150,000 | 90,000 | 7.6kg | \$2,477.00 |
| PL35/HPO | POOL LAB PL35/HPO CLASSIC SALT CHLORINATOR | 35 | 210,000 | 126,000 | 8.0kg | \$2,912.00 |
| PL45/HPO | POOL LAB PL45/HPO CLASSIC SALT CHLORINATOR | 45 | 265,000 | 162,000 | 8.2kg | \$3,230.00 |

HPO Plus Chlorinators

| Model N° | Description | Chlorine Gas Output (g/hr) | Max. Pool Size | | Ctn Weight | List Price |
|-----------|--|----------------------------|----------------|---------|------------|------------|
| | | | Indoor | Outdoor | | |
| PL25+/HPO | POOL LAB PL25+/HPO PLUS SALT CHLORINATOR | 25 | 150,000 | 90,000 | 7.6kg | \$2,640.00 |
| PL35+/HPO | POOL LAB PL35+/HPO PLUS SALT CHLORINATOR | 35 | 210,000 | 126,000 | 8.0kg | \$3,085.00 |
| PL45+/HPO | POOL LAB PL45+/HPO PLUS SALT CHLORINATOR | 45 | 265,000 | 162,000 | 8.2kg | \$3,386.00 |

HPO Mineral Lab Chlorinators

| Model N° | Description | Chlorine Gas Output (g/hr) | Max. Pool Size | | Carton Weight | List Price |
|-----------|---|----------------------------|----------------|---------|---------------|------------|
| | | | Indoor | Outdoor | | |
| ML25/HPO | MINERAL LAB ML25/HPO CLASSIC SALT CHLORINATOR | 25 | 150,000 | 90,000 | 7.6kg | \$2,598.00 |
| ML35/HPO | MINERAL LAB ML35/HPO CLASSIC SALT CHLORINATOR | 35 | 210,000 | 126,000 | 8.0kg | \$3,053.00 |
| ML45/HPO | MINERAL LAB ML45/HPO CLASSIC SALT CHLORINATOR | 45 | 265,000 | 162,000 | 8.2kg | \$3,389.00 |
| ML25+/HPO | MINERAL LAB ML25+/HPO PLUS SALT CHLORINATOR | 25 | 150,000 | 90,000 | 7.6kg | \$2,768.00 |
| ML35+/HPO | MINERAL LAB ML35+/HPO PLUS SALT CHLORINATOR | 35 | 210,000 | 126,000 | 8.0kg | \$3,235.00 |
| ML45+/HPO | MINERAL LAB ML45+/HPO PLUS SALT CHLORINATOR | 45 | 265,000 | 162,000 | 8.2kg | \$3,552.00 |

HPO Chlorinators Control box only


ELECTRODE AND CELL HOUSING NOT INCLUDED

CLASSIC/HPO:

| | LIST PRICE: |
|-----------|--|
| 55590/HPO | PL25/HPO CHLORINATOR CONTROL BOX ONLY \$1,282.30 |
| 55591/HPO | PL35/HPO CHLORINATOR CONTROL BOX ONLY \$1,355.20 |
| 55592/HPO | PL45/HPO CHLORINATOR CONTROL BOX ONLY \$1,355.20 |
| 55690/HPO | ML25/HPO CHLORINATOR CONTROL BOX ONLY \$1,342.17 |
| 55691/HPO | ML35/HPO CHLORINATOR CONTROL BOX ONLY \$1,418.71 |
| 55692/HPO | ML45/HPO CHLORINATOR CONTROL BOX ONLY \$1,418.71 |

PLUS/HPO:

| | |
|-----------|---|
| 55593/HPO | PL25+/HPO CHLORINATOR CONTROL BOX ONLY \$1,403.82 |
| 55594/HPO | PL35+/HPO CHLORINATOR CONTROL BOX ONLY \$1,482.79 |
| 55595/HPO | PL45+/HPO CHLORINATOR CONTROL BOX ONLY \$1,482.79 |
| 55693/HPO | ML25+/HPO CHLORINATOR CONTROL BOX ONLY \$1,469.76 |
| 55694/HPO | ML35+/HPO CHLORINATOR CONTROL BOX ONLY \$1,554.76 |
| 55695/HPO | ML45+/HPO CHLORINATOR CONTROL BOX ONLY \$1,554.76 |



Commercial Water Management System

PL SERIES HYBRID

The World's Best pH and Free Chlorine Management System.
All the benefits and economy of salt chlorination with liquid chlorine back-up to meet demand in extreme commercial environments.

There are five configurations available to suit your requirements. Each Pool Lab Hybrid system has one "Commander" chlorinator at it's core, producing up to 45gm/h of chlorine gas. Add to this up to four additional "Lieutenant" chlorinators for a total of up to 225gm/h from the chlorinators alone.

The peristaltic liquid chlorine pump is capable of feeding up to 60ml/min of 13% Sodium Hypochlorite, equivalent to approximately 450gm/h of additional chlorine gas as required, and the peristaltic acid pump feeds 16.5% Hydrochloric Acid to adjust the pH as required.

All Hybrid systems include:


- 1 x Pool Lab ASP
- 1 x Peristaltic Acid Pump
- 1 x Peristaltic Chlorine pump
- 1 x Injection Manifold

PL Hybrid systems do not facilitate the use of a 'Spa Flow Switch'



AVAILABLE IN 5 SIZES...

All models operate at 3000ppm salinity, and are covered by a 1 year warranty*



Configurations:

- Pool Lab Hybrid 45
(Commander only)
- Pool Lab Hybrid 90
(Commander + 1 Lieutenant)
- Pool Lab Hybrid 135
(Commander + 2 Lieutenants)
- Pool Lab Hybrid 180
(Commander + 3 Lieutenants)
- Pool Lab Hybrid 225
(Commander + 4 Lieutenants)

| Model N° | Description | Chlorine Gas Output (g/hr) | No. of Cells | Liq. Chlorine Dosing | List Price |
|-------------|--|----------------------------|--------------|----------------------|-------------|
| PLHYBRID45 | POOL LAB HYBRID 45g COMMERCIAL CHLORINATOR | 45 | 1 | 60ml/min | \$6,055.00 |
| PLHYBRID90 | POOL LAB HYBRID 90g COMMERCIAL CHLORINATOR | 90 | 2 | 60ml/min | \$9,756.00 |
| PLHYBRID135 | POOL LAB HYBRID 135g COMMERCIAL CHLORINATOR | 135 | 3 | 60ml/min | \$13,463.00 |
| PLHYBRID180 | POOL LAB HYBRID 180g COMMERCIAL CHLORINATOR | 180 | 4 | 60ml/min | \$17,163.00 |
| PLHYBRID225 | POOL LAB HYBRID 225g COMMERCIAL CHLORINATOR | 225 | 5 | 60ml/min | \$20,868.00 |
| PLLT | POOL LAB LIEUTENANT P/PK INLC. CELL & DATA CABLE | 45 | 1 | 60ml/min | \$4,074.00 |

**See Warranty Terms & Conditions*

PRICES DO NOT INCLUDE GST

Replacement Electrodes

Replacement Cell Warranty - 12 months + 12 months pro-rata

Warranty is limited to 1 Year if the cell is purchased from a non approved dealer or from online stores.

Examples of non-approved stores: ebay stores, websites where the cell is sold via a shopping cart or where advertised with a price and sold online.

Suits Pool Lab Classic, Plus & Mineral Lab

| ITEM CODE | DESCRIPTION | LIST PRICE |
|-----------|--------------------------------|------------|
| 55541 | PL25 REPLACEMENT ELECTRODE | \$824.02 |
| 55542 | PL35 REPLACEMENT ELECTRODE | \$1,156.05 |
| 55543 | PL45 REPLACEMENT ELECTRODE | \$1,486.96 |
| 55544 | PL25 ECO REPLACEMENT ELECTRODE | \$555.91 |

Suits Puresilk & Hayward HPS

| ITEM CODE | DESCRIPTION | LIST PRICE |
|-----------|------------------------------|------------|
| 22541 | PS25 REPLACEMENT ELECTRODE | \$824.02 |
| 22542 | PS35 REPLACEMENT ELECTRODE | \$1,156.05 |
| 22543 | PS45 REPLACEMENT ELECTRODE | \$1,486.96 |
| 22544 | PS15LS REPLACEMENT ELECTRODE | \$824.02 |
| 22545 | PS20LS REPLACEMENT ELECTRODE | \$1,156.05 |
| 22546 | PS30LS REPLACEMENT ELECTRODE | \$1,486.96 |
| 22547 | PS40LS REPLACEMENT ELECTRODE | \$1,817.76 |
| 22548 | PS50LS REPLACEMENT ELECTRODE | \$2,151.71 |
| 44566 | HPS25B REPLACEMENT ELECTRODE | \$555.91 |



Pool Lab - Control Box Only

ELECTRODE AND CELL HOUSING NOT INCLUDED

ECO:

| | | |
|-------|-------------------------------------|------------|
| 55589 | PL ECO CHLORINATOR CONTROL BOX ONLY | \$1,197.30 |
|-------|-------------------------------------|------------|

CLASSIC:

| | | |
|-------|-----------------------------------|------------|
| 55590 | PL25 CHLORINATOR CONTROL BOX ONLY | \$1,197.30 |
| 55591 | PL35 CHLORINATOR CONTROL BOX ONLY | \$1,270.20 |
| 55592 | PL45 CHLORINATOR CONTROL BOX ONLY | \$1,270.20 |
| 55690 | ML25 CHLORINATOR CONTROL BOX ONLY | \$1,257.16 |
| 55691 | ML35 CHLORINATOR CONTROL BOX ONLY | \$1,333.71 |
| 55692 | ML45 CHLORINATOR CONTROL BOX ONLY | \$1,333.71 |

PLUS:

| | | |
|-------|------------------------------------|------------|
| 55593 | PL25+ CHLORINATOR CONTROL BOX ONLY | \$1,318.82 |
| 55594 | PL35+ CHLORINATOR CONTROL BOX ONLY | \$1,397.79 |
| 55595 | PL45+ CHLORINATOR CONTROL BOX ONLY | \$1,397.79 |
| 55693 | ML25+ CHLORINATOR CONTROL BOX ONLY | \$1,384.76 |
| 55694 | ML35+ CHLORINATOR CONTROL BOX ONLY | \$1,467.68 |
| 55695 | ML45+ CHLORINATOR CONTROL BOX ONLY | \$1,467.68 |

HYBRID:

| | | |
|-------|-------------------------|------------|
| 55605 | PLCOMM CONTROL BOX ONLY | \$2,337.30 |
| 55606 | PLLT CONTROL BOX ONLY | \$2,170.35 |

Pool Lab - Spares

| ITEM CODE | DESCRIPTION | LIST PRICE |
|----------------|--|------------|
| 22509-B | CELL NUT - BLACK | \$63.36 |
| 22511-ML2 | MINERAL LAB CELL HOUSING W/ THREADED PORT C/W BLACK PLUG & ORING | \$180.23 |
| 22511-PL2 | POOL LAB CELL HOUSING W/ THREADED PORT C/W BLACK PLUG & ORING | \$180.23 |
| 22529-MSET | 3x SCREW & 3x PLUG SET IN BAG | \$10.24 |
| 55003 | WALL MOUNTING BRACKET | \$47.81 |
| 55129-B | PL(B) PANEL COVER - BLACK | \$33.70 |
| 55131-3SET-R2C | REPLACEMENT BUTTERFLY BARBS FOR REAGENT BAGS | \$10.24 |
| 55506-BLACK | INJECTOR CHECK VALVE BLACK | \$59.22 |
| 55601-KIT | ASP 50MM UNION KIT - INCL. TAIL, NUT & ORING | \$35.43 |
| 55615 | ASP ACID PERISTALTIC PUMP COMPLETE W/ 3.0M CABLE & CABLE TIE | \$212.24 |
| 55619 | PERISTALTIC PUMP SERVICE KIT C/W 1x 32554-12-BLACK / 1x 55506-BLACK / 1x 55615-LUB / 1x 55620 / 5x 55621 / 4x 55617-CW / 1x 55617-WR | \$122.63 |
| 55622 | ASP ACCESSORIES KIT C/W 1x 55506-BLACK / 1x 55620 / 5x 55621 / 4x 55617-CW / 1x 55617-WR | \$97.94 |
| 55625 | ASP CHLORINE PERISTALTIC PUMP COMPLETE W/ 3.0M CABLE & CABLE TIE | \$212.24 |
| 55626 | ASP CHLORINE ACCESSORIES KIT C/W 1x 55506-BLACK / 1x 55620 / 5x 55621 / 4x 55617-CW / 1x 55617-WR | \$97.94 |
| 55703 | POOL LAB 3 BAG REAGENT SET | \$89.31 |
| 55599 | ASP REPLACEMENT UNIT | \$1,022.99 |

Puresilk & Hayward PS - Spares



| ITEM CODE | DESCRIPTION | LIST PRICE |
|-----------|---|------------|
| 22509 | CELL NUT - WHITE | \$63.36 |
| 22520 | CELL O-RING ID 80MM, OD 88MM, SECTION 4MM | \$16.52 |
| 22538 | PURESILK FILTER PCB - PS15LS, PS20LS, PS25, PS30LS | \$91.67 |
| 22538-1 | PURESILK FILTER PCB - TWIN THERMISTORS - PS35, PS40LS, PS45, PS50LS | \$105.30 |
| 22539 | POWER LEAD C/W PLUG - 240V, 10A | \$39.18 |
| 22540 | CELL LEAD C/W PLUG - 32V, 20A, 3.5M | \$90.94 |
| 22556 | PSX REPLACEMENT MAIN CONTROL PCB - PS20LS, PS25, PS30LS, PS35 | \$545.06 |
| 22557 | PSXH REPLACEMENT MAIN CONTROL PCB - PS40LS, PS45, PS50LS | \$545.06 |
| 22559 | PURESILK CHLORINATOR DATA PCB | \$91.67 |
| 22561 | T3.15AMP ANTI-SURGE FUSE - PS15LS, PS20LS | \$14.57 |
| 22562 | T4.0AMP ANTI-SURGE FUSE - PS25, PS30LS, PS35 | \$14.57 |
| 22563 | T6.3AMP ANTI-SURGE FUSE - PS40LS, PS45, PS50LS | \$14.57 |
| 44525 | PCB - MAIN CONTROL HPS25B | \$545.06 |
| 32533-1 | 50MM x 20MM BSP TEE & PLUG | \$43.33 |
| 32611-MP | CHROMATYZER SAMPLE LINE / FLOW SWITCH ASS'Y | \$191.87 |
| 33502-B2 | CPS2 ACID ONLY INJECTION PORT HOUSING | \$47.60 |
| 33502-B3 | CPS3 / COMM1000 ACID & CHL INJECTION PORT HOUSING | \$47.60 |
| 33516-D | CPS2 CHEMICAL DELIVERY SERVICE KIT | \$122.63 |
| 33517-D | CPS3 / COMM1000 CHEMICAL DELIVERY SERVICE KIT | \$221.49 |



55622



55619



55626



55506-BLACK



33516-D



33517-D



33502-B2




33502-B3




**22556 / 22557 /
44525**




22538



22538-1



22559



55601-KIT



55615



55625



22509-B



22540



32611-MP



55703



55131-3SET-R2C



22511-PL2

TERMS OF TRADE

TERMS AND CONDITIONS OF SALE By Poolpower Australia Pty Ltd (ABN 57 089 882 520) “the Company”

CREDIT ACCOUNTS

1. The first order for new credit accounts will be required upfront. All subsequent orders will be supplied under credit terms.
2. Payment in full is required by the 30th of the month following the issue date of invoice.
3. A credit limit will be applied to all accounts unless otherwise specified and agreed upon by both the Customer and the Company.
4. Accounts with outstanding invoices between 1 and 30 days overdue will be put on ‘stop credit’ until outstanding monies are received.
5. Accounts with outstanding invoices between 31 and 60 days overdue will incur a 1.5% penalty of the total amount due, and be given 14 days to pay.
6. Accounts more than 75 days overdue will be referred to a debt collection agency.
7. In the event of the Customer being in default of his obligation to pay and the overdue account is then referred to a debt collection agency, the Customer shall be liable for all fees, charges and/or commissions charged by the debt collection agency in pursuit of recovery of the debt.
8. In the event where the Company or the Company’s agency refers the overdue account to a lawyer the Customer shall also pay as a liquidated debt the charges reasonably made or claimed by the lawyer on the indemnity basis.
9. Where more than one party is liable for payment of this account, they will be liable jointly and severally.
10. The Customer covenants that the information provided in this Application is true and correct.
11. Orders are subject to the terms and conditions notified to the Customer from time to time.
12. Property in any goods sold will not pass until payment for those goods is made in full. The Customer shall keep such goods separate and shall allow access to the Company to repossess such goods where this account is more than 30 days overdue or where the Customer goes into receivership, liquidation or administration.
13. Reference to an individual includes reference to his heirs and executors and reference to a company shall include its Receivers, Administrator and Liquidator.

FREIGHT

1. All orders into store to metropolitan Melbourne, Sydney, Brisbane, Gold Coast, Adelaide and Perth will be subject to a freight and handling charge of \$30.00 ex GST.
2. For deliveries outside of metropolitan Melbourne, Sydney, Brisbane, Gold Coast, Adelaide and Perth will be subject to a freight and handling charge of \$40.00 ex GST except if the area is deemed to be remote. For remote areas, freight and handling charges will be applied at the discretion of the Company, and will be assessed on a per order basis.
3. For orders not delivered to a business address, delivery will automatically be marked with an ‘Authority to Leave’ by the delivery company in the event there is no person present to receive it. The Company shall bear no responsibility for goods left under these conditions.

RETURNS

Where goods are returned to us, credit will only be issued under the following conditions:

1. A return credit (“credit”) authority number must be obtained from the supply point prior to the return of any goods. We may refuse to give a credit or accept the return of any goods;
2. You must provide the invoice number and date of purchase before a credit will be issued;
3. The credit authority number must be clearly marked on the packaging of goods returned to us. Failure to comply with this requirement could result in our refusing to accept delivery of the returned goods.

All claims for credit must be supported by:

4. Carriers consignment note or similar receipt of delivery;
5. Our relevant invoice number; and
6. The credit number issued by Poolpower.

Without in any way limiting our discretion to refuse to accept the return of any goods, the following goods will not be returnable:

7. Any goods which are not in original condition including packaging;
8. Any goods that are manufactured as made to order unless faulty – any manufacturing surcharge is non-refundable

Poolpower will impose a restocking fee for goods returned where no fault is found according to the following schedule:

0 to 30 days: 20% of invoice value + freight costs + carton costs

Over 30 days: 50% of invoice value + freight costs + carton costs

INTELLECTUAL PROPERTY USE AND INTERNET TRADING

It is for the protection of the consumer and our brand that we implement IP and internet trading conditions.

We aim to provide IP use authority to pool industry professionals that have experience and detailed knowledge of our products to best advise the consumer and best represent our brands.

Approval to use images, trademarks, or any IP owned by POOLPOWER AUSTRALIA PTY LTD must be applied for prior to use.

Application for use is not approval to use. You must receive written confirmation from POOLPOWER AUSTRALIA PTY LTD that approval has been granted.

The sale of Poolpower products through third parties online, or on online platforms such as ebay is not permitted.

Conditions of use (where approval has been granted by POOLPOWER AUSTRALIA PTY LTD)

- POOL LAB or MINERAL LAB whole products may be advertised and promoted on the internet WITHOUT reference to price. DO NOT PUBLISH PRICE.
 - CELLS or ELECTRODES made by Poolpower may be advertised and promoted on the internet WITHOUT reference to price. DO NOT PUBLISH PRICE.
- POOL LAB or MINERAL LAB maintenance items and spare parts may only be advertised and promoted on the internet if you are an Authorised Platinum Dealer. Authorised Platinum Dealers must demonstrate a sales history of whole products as defined by POOLPOWER AUSTRALIA PTY LTD.

Terms and conditions of IP use

Use of IP owned by POOLPOWER AUSTRALIA PTY LTD may be withdrawn at any time. A request for the IP to be removed or altered from digital media, online or from publications, may be made at any time.